

AUG 2 0 2004 Clerk of the Circuit Court Montgomery County, Md. SURVEYOR'S CERTIFICATE


I HEREBY CERTIFY THAT THIS CONDOMINIUM PLAT CONSISTING OF FIVE (5) SHEETS IS CORRECT; THAT IT IS A CONDOMINIUM PLAT OF THE LAND KNOW AS PARCEL B, BLOCK F AS SHOWN ON A SUBDIVISION RECORD PLAT ENTITLED "PARCELS B & F, BLOCK F, CLARKSBURG TOWN CENTER" DATED AUGUST 2001 AND RECORDED AMONG THE LAND RECORDS OF MONTGOMERY COUNTY, MARYLAND AS PLAT No. 22230; THAT IT HAS BEEN PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF TITLE 11 OF THE REAL PROPERTY ARTICLE, SECTION 11-105, OF THE ANNOTATED CODE OF MARYLAND (2003), AS AMENDED; THAT THIS PLAT, TOGETHER WITH THE APPLICABLE WORDING OF THE DECLARATION, IS A CORRECT REPRESENTATION OF THE CONDOMINIUM DESCRIBED AND THE IDENTIFICATION AND LOCATION OF EACH UNIT AND THE COMMON ELEMENTS, AS CONSTRUCTED, CAN BE


DATE 8.12-2004





VICINITY MAP NOT TO SCALE





& PARCELS A, BLOCK O CLARKSBURG TOWN CENTER

P. No. 22228

41

SCALE: 1" = 30'

48

NOTES:

- 1. "±" DENOTES A TOLERANCE OF PLUS OR MINUS 0.5
- 2. ALL DIMENSIONS ARE EXTERIOR WALL MEASUREMENTS.
- 3. ALL PROPERTY OTHER THAN THE UNITS OR LIMITED COMMON ELEMENTS, APPURTENANT TO SAID LIMITS, AS DEFINED IN THE DECLARATION AND/OR SHOWN HEREON IS GENERAL COMMON ELEMENT.
- 4. OTHER THAN THE BUILDINGS, NOT ALL IMPROVEMENTS SHOWN HEREON ARE COMPLETE AT THE TIME OF THIS SURVEY AND ARE SHOWN HEREON AS THEY APPEAR ON THE APPROVED SITE PLAN.

CONDOMINIUM PLAT AS-BUILT PLAN

CLARKSBURG CONDOMINIUM II


CLARKSBURG (2ND) DISTRICT

MONTGOMERY COUNTY, MARYLAND

SCALE: 1"=30'

Charles P. Johnson & Associates, Inc. Planners - Engineers - Landscape architects - Surveyors 1751 ELTON ROAD SUITE 300 SILVER SPRING, MARYLAND 20903
Phone:(301)434-7000 E-mail:secpja.com Faxc(301)434-9394

AUGUST, 2004

SHEET 1 OF 5 DFD/DAH DFD 29-100-16-CC2A 

27.2 20.0' G-6PARKING PAD 805 **∮** UNIT G-6 12.3 42.3' 12.3' 42.3' 102 PARKING PAD LOBBY UNIT G-5 1,663 ∮ 1,158 ∮ 1,159 ₡ G.C.E.12.5' 12.5 42.3' PARKING PAD 419 ø ELECT. CLOSET G.C.E. UNIT G-4 o 7.3' o 10.1' STAIRWELL CORRIDORELEV./MECH. CLOSET STORAGE CLOSET MECH. ROOM CORRIDOR STAIRWELL G.C.E. G.C.E.-- G.C.E. G.C.E.-G.C.E. G . C . E . ELEVATOR 27.3 G.C.E. PARKING PAD UNIT G-3 103 42.3' PARKING PAD 1,663 ₡ UNIT G-2 532 ⋬ ELECTRICAL 12.3' 12.3' F PARKING PAD UNIT G-1 809 ø 27.2

FIRST FLOOR

BUILDING 3

TOP OF ROOF = 725.0LOFT FLOOR CENTERLINE = 705.2 CEILING FOURTH FLOOR CENTERLINE = 695.5 CEILING THIRD FLOOR CENTERLINE = 685.0 SECOND FLOOR CENTERLINE = 674.5 PARKING PAD FIRST FLOOR BOTTOM OF SLAB = 664.5BUILDING 3

TYPICAL SECTION

(NO SCALE)

▶ GARAGE DOOR ENTRANCE

LEGEND:

∮ - SQUARE FEET STORAGE UNIT NUMBER

INTERNAL GARAGE UNIT NUMBER

UNIT NUMBER GENERAL COMMON ELEMENT

WASHINGTON SUBURBAN SANITARY COMMISSION

UNIT ENTRANCE

FILED

AUG 2 0 2004

Clerk or the Circuit Court Montgomery County, Md.

RECORDED: CONDOMINIUM PLAT NO.

- 1. THIS UNIT GROUP IS A 4 STORY STRUCTURE WITH LOFT AND INCLUDES 30 RESIDENTIAL, 6 INTERNAL GARAGE AND 7 STORAGE UNITS.
- 2. EACH CONDOMINIUM UNIT IS DESIGNATED BY BUILDING NUMBER AND A UNIT NUMBER, A TYPICAL EXAMPLE IS BUILDING 3, UNIT 201.
- 3. UNIT BOUNDARIES ARE SHOWN THUS ———— NOT ALL INTERIOR WALLS ARE SHOWN.
- 4. THE DEFINITION OF EACH RESIDENTIAL UNIT, STORAGE UNIT AND GARAGE UNIT SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN:
 - (I) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS ABUTTING ANOTHER UNIT, THE CENTERLINE OF SUCH WALLS (I.E., THE FIRST HALF OF SUCH WALLS TO THE MIDDLE THEREOF SHALL FORM A PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE ADJACENT UNIT); AND
 - (II) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS NOT ABUTTING ANOTHER UNIT, THE OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SIDING, BRICK, PAINT, EAVES, FASCIA OR OTHER MATERIAL COVERING THE EXTERIOR OF SUCH BUILDING; AND
 - (III) WITH RESPECT TO ANY WINDOW OPENING OR DOORWAY OPENING TO THE OUTSIDE SURFACE OF ANY OF THE WALLS DESCRIBED IN SECTION 3.2.4(A)(II) OF THE DECLARATION, THE EXTERIOR SURFACE (IN THE CLOSED POSITION) OF THE OUTERMOST WINDOW (INCLUDING STORM WINDOW), OR THE OUTERMOST DOOR (INCLUDING GARAGE DOORS), SET WITHIN SUCH OPENING; AND
 - (IV) WITH RESPECT TO THE UPPER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED ABOVE SUCH UNIT, THE CENTERLINE OF SUCH CEILING (I.E., THE FIRST HALF OF SUCH CEILING TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED ABOVE SUCH UNIT); AND
 - (V) WITH RESPECT TO THE UPPER HORIZONTAL LEVEL OF UNITS LOCATED ON THE TOP FLOOR OF BUILDINGS WITHIN THE CONDOMINIUM, THE TOP OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SHINGLES, FLASHING AND OTHER ROOFING MATERIAL COVERING THE EXTERIOR ROOF OF SUCH BUILDING; AND
 - (VI) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED BELOW SUCH UNIT, THE CENTERLINE OF SUCH UNIT (I.E., THE FIRST HALF OF SUCH FLOOR TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED BELOW SUCH UNIT); AND
 - (VII) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF A UNIT LOCATED ON THE TERRACE (LOWERMOST) LEVEL OF A BUILDING. THE LOWER EDGE OF THE BOTTOM OF THE CONCRETE SLAB
 - (VIII) WITH RESPECT TO THE REAR OF THE GARAGE UNIT, THE DESIGNATED PARKING PAD SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN THE LIMITS DESCRIBED BELOW:
 - (A) THE VERTICAL LIMIT SHALL BE TWO (2) EXTENSIONS OF THE VERTICAL LIMITS DESCRIBED ABOVE IN CLAUSES 4(I) AND 4(II), OR AS OTHERWISE NOTED HEREON, AS APPLICABLE, EXTENDING INTO THE PARKING PAD TO THE END OF THE DESIGNATED PARKING PAD AS SHOWN HEREON AND INTERSECTING A VERTICAL PLANE WHICH CONNECTS SUCH TWO (2) VERTICAL LIMITS; AND
 - (B) THE UPPER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(IV) ABOVE TO THE END OF THE PARKING PAD AS SHOWN HEREON; AND
 - (C) THE LOWER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(VII) ABOVE TO THE END ON THE PARKING PAD AS SHOWN HEREON.

CONDOMINIUM PLAT UNIT PLAN BUILDING 3

CLARKSBURG CONDOMINIUM II

CLARKSBURG (2ND) DISTRICT

MONTGOMERY COUNTY, MARYLAND


SCALE: 1"=15'


AUGUST, 2004



SHEET 2 OF 5 DFD DFD 29-100-16-CC2A 16-CC2-S2.DWG

MSA CSU 2160 19-2





≠ - SQUARE FEET

▶ UNIT ENTRANCE

> GARAGE DOOR ENTRANCE

G.C.E. - GENERAL COMMON ELEMENT

FILED

AUG 2 0 2004


CONDOMINIUM PLAT NO.: 8534

Clerk or the Circuit Court Montgomery County, Md.

Montgomery County, Ma

NOTES:

- 1. THIS UNIT GROUP IS $\frac{\pi}{4}$ 4 story and loft structure and includes 30 residential, 6 garage, and 7 storage units.
- 2. EACH CONDOMINIUM UNIT IS DESIGNATED BY BUILDING NUMBER AND A UNIT NUMBER, A TYPICAL EXAMPLE IS BUILDING 3, UNIT 201.
- 3. UNIT BOUNDARIES ARE SHOWN THUS ————— NOT ALL INTERIOR WALLS ARE SHOWN.
- 4. THE DEFINITION OF EACH RESIDENTIAL UNIT, STORAGE UNIT AND GARAGE UNIT SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN:
 - (I) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS ABUTTING ANOTHER UNIT, THE CENTERLINE OF SUCH WALLS (I.E., THE FIRST HALF OF SUCH WALLS TO THE MIDDLE THEREOF SHALL FORM A PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE ADJACENT UNIT); AND
 - (II) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS NOT ABUTTING ANOTHER UNIT, THE OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SIDING, BRICK, PAINT, EAVES, FASCIA OR OTHER MATERIAL COVERING THE EXTERIOR OF SUCH BUILDING; AND
 - (III) WITH RESPECT TO ANY WINDOW OPENING OR DOORWAY OPENING TO THE OUTSIDE SURFACE OF ANY OF THE WALLS DESCRIBED IN SECTION 3.2.4(A)(II)
 OF THE DECLARATION, THE EXTERIOR SURFACE (IN THE CLOSED POSITION) OF THE OUTERMOST WINDOW (INCLUDING STORM WINDOW), OR THE OUTERMOST
 DOOR (INCLUDING GARAGE DOORS), SET WITHIN SUCH OPENING; AND
 - (N) WITH RESPECT TO THE UPPER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED ABOVE SUCH UNIT, THE CENTERLINE OF SUCH CEILING (I.E., THE FIRST HALF OF SUCH CEILING TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED ABOVE SUCH UNIT); AND
 - (V) WITH RESPECT TO THE UPPER HORIZONTAL LEVEL OF UNITS LOCATED ON THE TOP FLOOR OF BUILDINGS WITHIN THE CONDOMINIUM, THE TOP OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SHINGLES, FLASHING AND OTHER ROOFING MATERIAL COVERING THE EXTERIOR ROOF OF SUCH BUILDING; AND
 - (VI) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED BELOW SUCH UNIT, THE CENTERLINE OF SUCH UNIT (I.E., THE FIRST HALF OF SUCH FLOOR TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED BELOW SUCH UNIT); AND
 - (VII) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF A UNIT LOCATED ON THE TERRACE (LOWERMOST) LEVEL OF A BUILDING, THE LOWER EDGE OF THE BOTTOM OF THE CONCRETE SLAB
 - (VIII) WITH RESPECT TO THE REAR OF THE GARAGE UNIT, THE DESIGNATED PARKING PAD SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN THE LIMITS DESCRIBED BELOW:
 - (A) THE VERTICAL LIMIT SHALL BE TWO (2) EXTENSIONS OF THE VERTICAL LIMITS DESCRIBED ABOVE IN CLAUSES 4(I) AND 4(II), OR AS OTHERWISE NOTED HEREON, AS APPLICABLE, EXTENDING INTO THE PARKING PAD TO THE END OF THE DESIGNATED PARKING PAD AS SHOWN HEREON AND INTERSECTING A VERTICAL PLANE WHICH CONNECTS SUCH TWO (2) VERTICAL LIMITS; AND
 - (B) THE UPPER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(N) ABOVE TO THE END OF THE PARKING PAD AS SHOWN HEREON; AND
 - (C) THE LOWER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(VII) ABOVE TO THE END ON THE PARKING PAD AS SHOWN HEREON.



BUILDING 3 TYPICAL SECTION (NO SCALE) CONDOMINIUM PLAT
UNIT PLAN
BUILDING 3

CLARKSBURG CONDOMINIUM II

CLARKSBURG (2ND) DISTRICT

MONTGOMERY COUNTY, MARYLAND

SCALE: 1"=15'

ecociates Inc

AUGUST, 2004

Charles P. Johnson & Associates, Inc.
PLANNERS - ENGINEERS - LANDSCAPE ARCHITECTS - SURVEYORS
1751 ELTON ROAD SUITE 300 SILVER SPRING, MARYLAND 2003
Phone(501)434-7000 E-mailss@cpja.com Fax(504)434-9094

SHEET 3 OF 5

DFD DFD
29-100-16-CC

AUG 2 0 2004

Clerk of the Circuit Court

Montgomery County, Md.

17.6

NOTES: 1. THIS UNIT GROUP IS A 4 STORY STRUCTURE WITH LOFT AND INCLUDES 30 RESIDENTIAL, 6 INTERNAL GARAGE AND 7 STORAGE UNITS.

2. EACH CONDOMINIUM UNIT IS DESIGNATED BY BUILDING NUMBER AND A UNIT NUMBER, A TYPICAL EXAMPLE IS BUILDING 3, UNIT 201

3. UNIT BOUNDARIES ARE SHOWN THUS ————— NOT ALL INTERIOR WALLS ARE SHOWN.

OTHER MATERIAL COVERING THE EXTERIOR OF SUCH BUILDING; AND

4. THE DEFINITION OF EACH RESIDENTIAL UNIT, STORAGE UNIT AND GARAGE UNIT SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN:

TO THE MIDDLE THEREOF SHALL FORM A PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE ADJACENT UNIT); AND (II) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS NOT ABUTTING ANOTHER UNIT, THE OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SIDING, BRICK, PAINT, EAVES, FASCIA OR

(1) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS ABUTTING ANOTHER UNIT, THE CENTERLINE OF SUCH WALLS (I.E., THE FIRST HALF OF SUCH WALLS

(III) WITH RESPECT TO ANY WINDOW OPENING OR DOORWAY OPENING TO THE OUTSIDE SURFACE OF ANY OF THE WALLS DESCRIBED IN SECTION 3.2.4(A)(II) OF THE DECLARATION, THE EXTERIOR SURFACE (IN THE CLOSED POSITION) OF THE OUTERMOST WINDOW (INCLUDING STORM WINDOW), OR THE OUTERMOST DOOR (INCLUDING GARAGE DOORS), SET WITHIN SUCH OPENING; AND

RECORDED:

CONDOMINIUM PLAT

(IV) WITH RESPECT TO THE UPPER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED ABOVE SUCH UNIT, THE CENTERLINE OF SUCH CEILING (I.E., THE FIRST HALF OF SUCH CEILING TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED ABOVE SUCH UNIT); AND

(V) WITH RESPECT TO THE UPPER HORIZONTAL LEVEL OF UNITS LOCATED ON THE TOP FLOOR OF BUILDINGS WITHIN THE CONDOMINIUM, THE TOP OUTERMOST

EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SHINGLES, FLASHING AND OTHER ROOFING MATERIAL COVERING THE EXTERIOR ROOF OF SUCH BUILDING; AND (VI) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED BELOW SUCH UNIT. THE

CENTERLINE OF SUCH UNIT (I.E., THE FIRST HALF OF SUCH FLOOR TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED BELOW SUCH UNIT); AND (VII) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF A UNIT LOCATED ON THE TERRACE (LOWERMOST) LEVEL OF A BUILDING, THE LOWER EDGE OF THE


BOTTOM OF THE CONCRETE SLAB

(VIII) WITH RESPECT TO THE REAR OF THE INTERNAL GARAGE UNIT, THE DESIGNATED PARKING PAD SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN THE LIMITS DESCRIBED BELOW:

> (A) THE VERTICAL LIMIT SHALL BE TWO (2) EXTENSIONS OF THE VERTICAL LIMITS DESCRIBED ABOVE IN CLAUSES 4(I) AND 4(II), OR AS OTHERWISE NOTED HEREON, AS APPLICABLE, EXTENDING INTO THE PARKING PAD TO THE END OF THE DESIGNATED PARKING PAD AS SHOWN HEREON AND INTERSECTING A VERTICAL PLANE WHICH CONNECTS SUCH TWO (2) VERTICAL LIMITS; AND

(B) THE UPPER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(IV) ABOVE TO THE END OF THE PARKING PAD AS SHOWN HEREON; AND

(C) THE LOWER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(VII) ABOVE TO THE END ON THE PARKING PAD AS SHOWN HEREON.



BUILDING 3 TYPICAL SECTION
(NO SCALE) CONDOMINIUM PLAT UNIT PLAN BUILDING 3

CLARKSBURG CONDOMINIUM II

CLARKSBURG (2ND) DISTRICT

MONTGOMERY COUNTY, MARYLAND

SCALE: 1"=15'

AUGUST, 2004

LEGEND:

INTERNAL GARAGE UNIT NUMBER




SHEET 4 OF 5 DFD DFD 29-100-16-CC2A

16-CC2-S4.DWG

292∮ 292∮ 15.5 408 1529 1529 15.5 292∮ LOFT FLOOR


BUILDING 3




FOURTH FLOOR BUILDING 3


MSA &SU 2160 19-4

P97437



BUILDING 4





28.8 28.8 304 301 STAIRWELL G.C.E. 22.9' 302 1,164单 17.4 15.0'

THIRD FLOOR BUILDING 4

FIRST FLOOR BUILDING 4

LEGEND:

∮ - SQUARE FEET

STORAGE UNIT NUMBER

GENERAL COMMON ELEMENT

WASHINGTON SUBURBAN SANITARY COMMISSION

□ GARAGE DOOR ENTRANCE

FILED

AUG 2 0 2004


Clerk of the Circuit Court Montgomery County, Md.

NOTES:

- 1. THIS UNIT GROUP IS A 3 STORY STRUCTURE WITH LOFTS AND INCLUDES 10 RESIDENTIAL, 5 GARAGE AND 4 STORAGE UNITS.
- 2. EACH CONDOMINIUM UNIT IS DESIGNATED BY BUILDING NUMBER AND A UNIT NUMBER, A TYPICAL EXAMPLE IS BUILDING 4, UNIT 201.

CONDOMINIUM PLAT NO.: 8536

- 3. UNIT BOUNDARIES ARE SHOWN THUS ————— NOT ALL INTERIOR WALLS ARE SHOWN.
- 4. THE DEFINITION OF EACH RESIDENTIAL UNIT, STORAGE UNIT, INTERNAL GARAGE UNIT AND EXTERNAL GARAGE UNIT SHALL BE THE SPACE
 - (I) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS ABUTTING ANOTHER UNIT, THE CENTERLINE OF SUCH WALLS (I.E., THE FIRST HALF OF SUCH WALLS TO THE MIDDLE THEREOF SHALL FORM A PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE ADJACENT UNIT); AND
 - (II) WITH RESPECT TO THE VERTICAL LIMITS OF WALLS NOT ABUTTING ANOTHER UNIT, THE OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SIDING, BRICK, PAINT, EAVES, FASCIA OR OTHER MATERIAL COVERING THE EXTERIOR OF SUCH BUILDING; AND
 - (III) WITH RESPECT TO ANY WINDOW OPENING OR DOORWAY OPENING TO THE OUTSIDE SURFACE OF ANY OF THE WALLS DESCRIBED IN SECTION 3.2.4(A)(II) OF THE DECLARATION, THE EXTERIOR SURFACE (IN THE CLOSED POSITION) OF THE OUTERMOST WINDOW (INCLUDING STORM WINDOW), OR THE OUTERMOST DOOR (INCLUDING GARAGE DOORS), SET WITHIN SUCH OPENING: AND
- (IV) WITH RESPECT TO THE UPPER HORIZONTAL LIMIT OF UNITS LOCATED ON LEVELS OF BUILDINGS HAVING OTHER UNITS LOCATED ABOVE SUCH UNIT, THE CENTERLINE OF SUCH CEILING (I.E., THE FIRST HALF OF SUCH CEILING TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED ABOVE SUCH UNIT): AND
- (V) WITH RESPECT TO THE UPPER HORIZONTAL LEVEL OF UNITS LOCATED ON THE TOP FLOOR OF BUILDINGS WITHIN THE CONDOMINIUM, THE TOP OUTERMOST EDGE OF THE LAST LAYER OF THE EXTERIOR COVERING OF THE BUILDING WITHIN WHICH SUCH UNIT IS CONTAINED, INCLUDING, WITHOUT LIMITATION, THE SHINGLES, FLASHING AND OTHER ROOFING MATERIAL COVERING THE EXTERIOR ROOF OF SUCH BUILDING; AND
- (vi) with respect to the lower horizontal limit of units located on levels of buildings having other units located BELOW SUCH UNIT, THE CENTERLINE OF SUCH UNIT (I.E., THE FIRST HALF OF SUCH FLOOR TO THE MIDDLE THEREOF SHALL FORM PART OF THE UNIT IN QUESTION AND THE REMAINING HALF SHALL FORM A PART OF THE UNIT LOCATED BELOW SUCH UNIT); AND
- (VII) WITH RESPECT TO THE LOWER HORIZONTAL LIMIT OF A UNIT LOCATED ON THE TERRACE (LOWERMOST) LEVEL OF A BUILDING, THE
- (VIII) WITH RESPECT TO THE REAR OF THE INTERNAL GARAGE UNIT, THE DESIGNATED PARKING PAD SHALL BE THE SPACE BOUNDED BY AND CONTAINED WITHIN THE LIMITS DESCRIBED BELOW:
 - (A) THE VERTICAL LIMIT SHALL BE TWO (2) EXTENSIONS OF THE VERTICAL LIMITS DESCRIBED ABOVE IN CLAUSES 4(I) AND 4(II), OR AS OTHERWISE NOTED HEREON, AS APPLICABLE, EXTENDING INTO THE PARKING PAD TO THE END OF THE DESIGNATED PARKING PAD AS SHOWN HEREON AND INTERSECTING A VERTICAL PLANE WHICH CONNECTS SUCH TWO (2) VERTICAL LIMITS; AND
 - (B) THE UPPER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(IV) ABOVE TO THE END OF THE PARKING PAD AS SHOWN HEREON; AND
 - (C) THE LOWER HORIZONTAL LIMIT SHALL BE AN IMAGINARY HORIZONTAL PLANE EXTENDING OUTWARD FROM THE LIMIT DESCRIBED IN CLAUSE 4(VII) ABOVE TO THE END ON THE PARKING PAD AS SHOWN HEREON.



BUILDING 4 TYPICAL SECTION (NO SCALE)

CONDOMINIUM PLAT

UNIT PLAN BUILDING 4

CLARKSBURG CONDOMINIUM II

CLARKSBURG (2ND) DISTRICT

MONTGOMERY COUNTY, MARYLAND

SCALE: 1"=15'

AUGUST, 2004



Charles P. Johnson & Associates, Inc. Planners - Engineers - Landscape Architects - Surveyors 1751 ELTON ROAD SUITE 300 SILVER SPRING, MARYLAND 20903

SHEET 5 OF 5 DAH DFD 9-100-16-CC2A

16-CC1-S5.DWG